

# Queueing theory assignment solution guide

## 1

**Given:**  $\lambda = 8/\text{min}$ ,  $E(L_q) \leq 10$

**Find:**  $E(T_s)$

$$E(T_q) = \frac{E(L_q)}{\lambda} = \frac{10}{8/\text{min}} = 1.25 \text{ min}$$

$$E(T_q) = \frac{\rho}{\mu - \lambda} = \frac{\frac{\lambda}{\mu}}{\mu - \lambda} = 1.25$$

$$1.25\mu^2 - 10\mu - 8 = 0$$

$$\mu = \frac{10 + \sqrt{100 + 40}}{2.5} / \text{min}$$

$$E(T_s) = \frac{1}{\mu} = \frac{2.5}{10 + \sqrt{100 + 40}} \text{ min} \approx 6.87 \text{ sec}$$

## 2

**Given:**  $E(T) \leq 10$  min,  $\lambda = 5/\text{hour} = \frac{1}{12}/\text{min}$

**Find:**  $E(T_s)$

$$E(T_q) = \frac{\rho E(T_s)}{1 - \rho}$$

$$E(T) = E(T_q) + E(T_s) = \frac{1}{\mu - \lambda} = 10 \text{ min}$$

$$\mu = \frac{11}{60}/\text{min}$$

$$E(T_s) = \frac{60}{11} \text{ min} \approx 5.45 \text{ min}$$

## 3

$$E(T)' = E(T_q)' + E(T_s)' = \frac{1}{\mu' - \lambda} = 0.5 \times E(T) = \frac{0.5}{\mu - \lambda}$$

$$\mu' = 2\mu - \lambda = \frac{17}{60}/\text{min}$$

$$\frac{\frac{17}{60} - \frac{11}{60}}{\frac{11}{60}} = \frac{6}{11} \approx 54.5\%$$

## 4

**Given:**  $E(L) = 3, \lambda = 3/\text{hour}$

**Find:**  $E(T_r), E(T)$

$$E(T) = \frac{E(L)}{\lambda} = 1 \text{ hour}$$

$$E(T_r) = E(T_s) = \frac{1}{\mu} = \frac{1}{\frac{1}{E(T)} + \lambda} = \frac{1}{\frac{1}{4} + 3} = \frac{1}{\frac{13}{4}} = \frac{4}{13} \text{ hour} = 15 \text{ min}$$

## 5

**Given:**  $\lambda = 800/\text{day}$ ,  $E(T_s) = 1.2 \text{ min}$ ,  $\sigma(T_s) = 3.5 \text{ min}$

**Find:**  $E(L_q)$

$$\rho = \lambda E(T_s) = \frac{2}{3}$$

$$E(T_q) = \frac{\rho}{1-\rho} E(T_r) = \frac{\rho}{1-\rho} \frac{\sigma^2(T_s) + E(T_s)^2}{2E(T_s)} \approx 11.4 \text{ min}$$

$$E(L_q) = \lambda E(T_q) \approx 6.3$$

## 6

**Given:**  $\lambda = 50/\text{sec}$ ,  $E(T_s) = 15 \text{ ms}$

**Find:**  $E(T)$ ,  $E(L_q)$

$$E(T) = \frac{1}{\mu - \lambda} = 60 \text{ ms}$$

$$\rho = \lambda E(T_s) = 0.75$$

$$E(T_q) = \frac{\rho}{\mu(1-\rho)} = 45 \text{ ms}$$

$$E(L_q) = \lambda E(T_q) = 2.25$$

**7**

**Given:**  $\lambda = 80/\text{sec}$ ,  $E(T_s) = 7.5 \text{ ms}$

**Find:**  $E(T)$

$$E(T) = \frac{1}{\mu - \lambda} = \frac{1}{\frac{1}{E(T_s)} - \lambda} = 18.75 \text{ ms}$$

**8**

$$E(T_r) = \frac{E(T_s)}{2} = 2.5 \text{ ms}$$

$$\rho = \lambda E(T_s) = 0.4$$

$$E(T_q) = \frac{\rho E(T_r)}{1 - \rho} = \frac{5}{3} \text{ ms}$$

$$E(T) = E(T_s) + E(T_q) = \frac{20}{3} \text{ ms}$$

$$\frac{18.75 - \frac{20}{3}}{18.75} \approx 64.4\%$$